# WOOD STONE



STONE HEARTH & SPECIALTY COMMERCIAL COOKING EQUIPMENT INTERNATIONAL EDITION





the POWER to PERFORM



Fire Deck 6045

Fire Deck 8645

## THE HIGH PRODUCTION WORKHORSE

Favored by leaders in the Fast Casual Pizza scene, the Fire Deck is a workhorse with the muscle and consistency required by ultra-high volume restaurants - the Fire Deck is a serious workhorse.

- Rectangular Footprint
- Bright Visible Flame
- High Production
- Ideal for Rectangular Pan Cooking
- Multiple Openings & Viewing Windows Available
- 100 150mm Thick Floor & 100mm Thick Dome
- Gas, Wood or Combo
- Underfloor Infrared Burner Option Facade Friendly
- High-Temp Cooking
- GE Listed
- Mantle Included

 Power:
 230 VAC / 50 Hz
 LP Gas Groups:
 +, B/P, P

 NG Groups:
 EK, ELL, H, & HS
 LP Inlet Pressure:
 25-30 mB\*


 NG Inlet Pressure:
 17.5 – 25 mB\*

\*Note: Maximum inlet pressure is 34 mB. For inlet pressures above that, an external gas regulator must be installed.

### Pizza Capacities

Size	300mm / 12"	<b>400</b> mm / 16"
Fire Deck 6045	6 pizzas	3 pizzas
Fire Deck 8645	10 pizzas	6 pizzas

The approximate maximum hourly production can be calculated by multiplying pizza capacity by 12 for 5-minute bake times, or multiplying capacity by 20 for 3-minute bake times. Bake times will also vary depending on style of pizza. Note: The addition of a decorative flame will decrease space and impact overall cooking capacity, and is not recommended on the Fire Deck 6045.





the CENTERPIECE of your KITCHEN





## THE FACADE FRIENDLY CORNERSTONE

The Mountain Series oven is designed to be the heart of any show kitchen. Build your restaurant, and your menu, around this high production showstopper.

- Classic Shape
- Gas, Wood or Combo
- Bright Visible Flame
- Underfloor Infrared Burner Option
- High Production
- Facade Friendly
- High-Temp Cooking
- Multiple Openings & Viewing Windows Available • CE Listed
- 100mm Thick Floor & Dome Mantle Not Included

230 VAC / 50 Hz LP Gas Groups: +, B/P, P EK, ELL, H, & HS LP Inlet Pressure: 25-30 mB\*


NG Inlet Pressure: 17.5 – 25 mB\*

\*Note: Maximum inlet pressure is 34 mB. For inlet pressures above that, an external gas regulator must be installed.

### Pizza Capacities

Size	300mm / 12"	<b>400</b> mm / 16"
Mt. Chuckanut 4'	4 pizzas	1-2 pizzas
Mt. Adams 5'	10 pizzas	<b>5</b> pizzas
Mt. Baker 6'	<b>14-16</b> pizzas	<b>6-8</b> pizzas
Mt. Rainier 7'	<b>16-20</b> pizzas	8-10 pizzas

The approximate maximum hourly production can be calculated by multiplying pizza capacity by 12 for 5-minute bake times, or multiplying capacity by 20 for 3-minute bake times. Bake times will also vary depending on style of pizza.











Bistro 4343

Bistro 4355

## THE COMPACT POWERHOUSE

The Bistro Line of ovens can be disassembled to fit through any standard doorway (813mm) and with their compact footprint, fit into almost any cook line.

- Compact Footprint
- Facade Ready Option
- Bright Visible Flame
- High-Temp Cooking
- Gas, Wood or Combo\*
- Mantle Included

230 VAC / 50 Hz LP Gas Groups: +, B/P, P EK, ELL, H, & HS LP Inlet Pressure: 25-30 mB\* NG Inlet Pressure: 17.5 – 25 mB\*

\*Note: Maximum inlet pressure is 34 mB. For inlet pressures above that, an external gas regulator must be installed.


### Pizza Capacities

Size	300mm / 12"	<b>400</b> mm / 16"
Bistro 3030	<b>1</b> pizza	<b>1</b> pizza
Bistro <b>4343</b>	4 pizzas	<b>2</b> pizzas
Bistro <b>4355</b>	6 pizzas	<b>4</b> pizzas

BISTRO LINE


The approximate maximum hourly production can be calculated by multiplying pizza capacity by 12 for 5-minute bake times, or multiplying capacity by 20 for 3-minute bake times. Bake times will also vary depending on style of pizza.

\*Wood option available only on the 4343 and 4355.



## OVEN OPTIONS & EXTRAS







Wood Stone Ovens are available in a number of different fuel configurations. Combination fuel sources also available.

### Radiant Flame Burner (Gas)

A manually controlled wall of bright and powerful radiant gas flames. (RFG)

### Underfloor Infrared Burner (Gas)

A powerful thermostatically controlled burner located beneath the ceramic hearth of the oven. (IR)

### Wood-Fired (Solid Fuel)

A fire of well-seasoned hardwood burning within the ceramic hearth of the oven. (W)

## FACADE EXTENSIONS

### Mountain Series only

Wood Stone offers a wide range of installation accessories to help make your final oven installation seamless and attractive. See examples of how to use the extensions online with Wood Stone Facade Tutorials.

## FACADE TUTORIALS

Bring your vision to life! These visual, step-by-step tutorials showcase a variety of facade options and also outline how to utilize Wood Stone facade extensions. Available for download at woodstone-corp.com.



## TOOLS & ACCESSORIES

Wood Stone offers a complete line of tools and accessories for use with all of our cooking equipment. Visit us online to view our tool and accessory offerings. Wood-Fired tool set for stone hearth ovens shown.





Low Arch Wide



Low Arch Narrow

### **ARCH OPTIONS**

How you plan to use your Wood Stone oven will determine which arch style is right for you.

#### Standard Arch

By far our most popular arch because of its versatility, blending the best flame visibility, chef accessibility and menu adaptability.

### Low Arch Wide

Offers a higher temperature cooking chamber, while still offering good visibility and accessibility.

#### Low Arch Narrow

For customers who are willing to trade visibility and accessibility in pursuit of the Naples or Neapolitan style experience.



### **CUSTOM FINISHES**

Our ovens are available with a variety of optional finish options including custom metal, color powder coat, stucco, and facade-ready cement board for on-site facade material application.



## **TANDOOR**

- Cooks like Clay
- Long Lifespan
- Durable Ceramic Interior
- Consistent Reliable Heat
- 31" and 35" Models Available
- Multiple Shapes Available
- CE Listed

230 VAC / 50 Hz LP Gas Groups: +, B/P, P NG Groups: EK, ELL, H, & HS LP Inlet Pressure: 25-30 mB\* NG Inlet Pressure: 17.5 – 25 mB\*

\*Note: Maximum inlet pressure is 34 mB. For inlet pressures above that, an external gas regulator must be installed.

## WHATCOM GAS VERTICAL ROTISSERIE (GVR)

- Medium-High Production in a Countertop Model Available Small Footprint
- Unique Vertical Roasting
- No Cross-Contamination
- Versatile Cooking

- Custom Accessories
- Beautiful Live Flame
- Optional Rear Door Available
- CE Listed

230 VAC / 50 Hz LP Gas Groups: +, B/P, P EK, ELL, H, & HS LP Inlet Pressure: 25-30 mB\* NG Inlet Pressure: 17.5 – 25 mB\*

\*Note: Maximum inlet pressure is 34 mB. For inlet pressures above that, an external gas regulator must be installed.



## QUALITY

high touch, and innovation.

### **TRUSTED**

Offering support and guidance before and after the sale.



## WORLDWIDE

More than 17,000 installations in 80+ countries worldwide. Our loyal and committed

### INVESTED

**Wood Stone Corporation is** employee-owned (ESOP). When you call Wood Stone, we're meeting our commitment



## TRUSTED PARTNER



With committed customers such as CALIFORNIA PIZZA KITCHEN, MOD PIZZA, ZIZZI ITALIAN, BLAZE PIZZA, WOLFGANG PUCK, WHOLE FOODS MARKET, and many others, Wood Stone has more than 17,000 installations in over 80 countries around the world.



**WOOD STONE CORPORATION** 1801 W. Bakerview Rd. Bellingham, WA 98226 USA 800.988.8103 | info@woodstone-corp.com | woodstone-corp.com